

Form PTO-1449 (REV. 8-83)		US Dept. of Commerce PATENT & TRADEMARK OFFICE		ATTY DOCKET NO. 101050.02		NEW RULE 1.53(B) DIVISIONAL OF APPLICATION NO. 09/101,083	
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)				APPLICANT(S) Satoru MIYASHITA, Hiroshi KIGUCHI, Tatsuya SHIMODA and Sadao KANBE			
				FILING DATE July 10, 2001		GROUP	

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS
		5,317,169	05/31/94	NAKANO et al.	257	40
		6,013,982	01/11/00	THOMPSON et al.	313	506
		5,895,692	04/20/99	SHIRASAKI et al.	427	557
		5,281,450	01/25/94	YANIV	349	106
		5,576,070	11/19/96	YANIV		
		Re. 36,711	05/23/00	YANIV		
		6,087,196	07/11/00	STURM et al.		

FOREIGN PATENT DOCUMENTS						
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS
		JP-A-5-258860	10/08/93	Japan		
		JP-A-7-169567	07/04/95	Japan		
		JP-A-7-235378	09/05/95	Japan		
		JP-A-7-294916	11/10/95	Japan		
		JP-B2-5-78655	10/29/93	Japan		
		JP-A-10-12377	01/16/98	Japan		

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)	
	KIDO, J. et al., "White Light-Emitting Organic Electroluminescent Devices Using the Poly (N-vinylcarbazole) Emitter Layer Doped with Three Fluorescent Dyes", <i>Appl. Phys. Lett.</i> , 64 (7), February 14, 1994, pp. 815-817.
	ADACHI, Chihaya et al., "Electroluminescent Device of Organic Thin Films", <i>IEICE Technical Report</i> , Vol. 89, No. 106, June 23, 1989, pp. 49-50.

EXAMINER	DATE CONSIDERED 11/13/00
----------	-----------------------------


Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (REV. 8-83)		US Dept. of Commerce PATENT & TRADEMARK OFFICE		ATTY DOCKET NO. 101050.02		APPLICATION NO. 09/901,097	
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)				APPLICANT(S) Satoru MIYASHITA et al.			
				FILING DATE July 10, 2001			
				RECEIVED MAR 27 2002 TC 1700			
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL <i>Do</i>		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	
		5,132,248	07/21/92	DRUMMOND et al.			
		5,214,350	05/25/93	REMEC et al.			
		5,276,380	01/04/94	TANG			
		5,326,692	07/05/94	BRINKLEY et al.			
		5,593,788	01/14/97	SHI et al.			
		5,610,932	03/11/97	KESSLER et al.			
		5,854,139	12/29/98	ARATANI et al.			
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	
		JP-A-62-31174 (w/English abstract)	02/10/87	Japan			
		JP-A-62-85224 (w/English abstract)	04/18/87	Japan			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)							
		LEWIS, Richard J., <i>Hawley's Condensed Chemical Dictionary</i> , Thirteenth Edition, 1997, pp. 820 & 900-901.					
		MORRISON, Robert et al., <i>Organic Chemistry</i> , Fifth Edition, 1987, p. 637.					
		BUDAVARI, Susan et al., <i>The Merck Index An Encyclopedia of Chemicals, Drugs, and Biologicals</i> , Twelfth Edition, 1996, p. 357.					
		ADACHI, Chihaya et al., "Blue light-emitting organic electroluminescent devices", <i>Appl. Phys. Lett.</i> , Vol. 56, No. 9, February 26, 1990, pp. 799-801.					
		BURROWS, P.E. et al., "Color-tunable organic light-emitting devices", <i>Appl. Phys. Lett.</i> , Vol. 69, No. 20, November 11, 1996, pp. 2959-2961.					
		KIDO, J. et al., "Single-layer white light-emitting organic electroluminescent devices based on dye-dispersed poly(<i>N</i> -vinylcarbazole)", <i>Appl. Phys. Lett.</i> , Vol. 67, No. 16, October 16, 1995, pp. 2281-2283.					
		WU, C.C. et al., "Integrated three-color organic light-emitting devices", <i>Appl. Phys. Lett.</i> , Vol. 69, No. 21, November 18, 1996, pp. 3117-3119.					
		ZHANG, C. et al., "Blue emission from polymer light-emitting diodes using non-conjugated polymer blends with air-stable electrodes", <i>Synthetic Metals</i> , Vol. 72, 1995, pp. 185-188.					
		ISHIMARU, N. et al., "Development of Color Filters by Pigment Ink Jet Printing (II) (-Production Technology-), <i>SID</i> , 1997, pp. 69-72.					
EXAMINER <i>1 Ark</i>				DATE CONSIDERED <i>11/12/01</i>			

Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in

Form PTO-1449
(REV. 8-83)US Dept. of Commerce
PATENT & TRADEMARK OFFICEATTY DOCKET NO.
101050.02APPLICATION NO.
09/901,097

INFORMATION DISCLOSURE STATEMENT



(Use several sheets if necessary)

APPLICANT(S)
Satoru MIYASHITA et al.FILING DATE
July 10, 2001GROUP
1773

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

EBISAWA, F. et al., "Electrical Properties of polyacetylene/polysiloxane interface", *J. Appl. Phys.*, Vol. 54, No. 6, June 1983, pp. 3255-3259.KIDO, Junji et al., "Organic electroluminescent devices based on molecularly doped polymers", *Appl. Phys. Lett.*, Vol. 61, No. 7, August 17, 1992, pp. 761-763.VAN SLYKE, S.A. et al., "Organic electroluminescent devices with improved stability", *Appl. Phys. Lett.*, Vol. 69, No. 15, October 7, 1996, pp. 2160-2162.ZHANG, C. et al., "Blue electroluminescent diodes utilizing blends of poly(*p*-phenylphenylene vinylene) in poly(9-vinylcarbazole)", *Synthetic Metals*, Vol. 62, 1994, pp. 35-40.VESTWEBER, H. et al., "Electroluminescence from polymer blends and molecularly doped polymers", *Synthetic Metals*, Vol. 64, 1994, pp. 141-145.NONAKA, Y. et al., "Development of Color Filters by Pigment Ink Jet Printing (I) (Fundamental Technology)", *SID*, 1997, pp. 238-241.WU, Chung-Chih et al., "Efficient Organic Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films with Bipolar Carrier Transport Abilities", *IEEE Transactions on Electron Devices*, Vol. 44, No. 8, August 1997, pp. 1269-1281.WU, C.C. et al., "Surface modification of indium tin oxide by plasma treatment: An effective method to improve the efficiency, brightness, and reliability of organic light emitting devices", *Appl. Phys. Lett.*, Vol. 70, No. 11, March 17, 1997, pp. 1348-1350.TIAN, Jing et al., "Luminescent Properties of Conjugated Poly(*p*-pyridylvinylene) and Poly(*p*-pyridiniumvinylene)", *Polymer Preprints*, Vol. 35, No. 2, August 1994, pp. 761-762.MARSELLS, Michael J. et al. "Regiochemical Consequences in Poly(2,5-Pyridinium Vinylene): Kekule' and Non-Kekule' Conductive Polymers", *Polymer Preprints*, Vol. 33, No. 1, April 1992, pp. 1196-1197.HOSOKAWA, Chishio et al., "Highly efficient blue electroluminescence from a distyrylarylene emitting layer with a new dopant", *Appl. Phys. Lett.*, Vol. 67, No. 26, December 25, 1995, pp. 3853-3855.HEBNER, T.R. et al. "Ink-jet printing of doped polymers for organic light emitting devices", *Appl. Phys. Lett.*, Vol. 72, No. 5, February 2, 1998, pp. 519-521.MAYO, Jonathan W. et al., "16.3: Colour Filters for Flat Panel Displays by High Definition Ink Jet Printing", *Euro Display '96*, October 1-3, 1996, pp. 537-540.PARKER, I.D. et al., "Efficient blue electroluminescence from a fluorinated polyquinoline", *Appl. Phys. Lett.*, Vol. 65, No. 10, September 5, 1994, pp. 1272-1274.TIAN, Jing et al., "Photophysical Properties, Self-Assembled Thin Films, and Light-Emitting Diodes of Poly(*p*-pyridylvinylene)s and Poly(*p*-pyridinium vinylene)s", *Chem. Mater.*, Vol. 7, No. 11, 1995, pp. 2190-2198.TIAN, Jing et al., "Electroluminescent Properties of Self-Assembled Polymer Thin Films", *Adv. Mater.*, Vol. 7, No. 4, 1995, pp. 395-398.JOHNSON, G.E. et al., "Electroluminescence from single layer molecularly doped polymer films", *Pure & Appl. Chem.*, Vol. 67, No. 1, 1995, pp. 175-182.

EXAMINER

DATE CONSIDERED

TO-1449
(8-83)

US Dept. of Commerce
PATENT & TRADEMARK OFFICE

Sheet 1 of 3

ATTY DOCKET NO.
101050.02

APPLICATION NO.
09/901,097

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

APPLICANT(S): Satoru MIYASHITA et al.

FILING DATE: July 10, 2001

GROUP: 1773

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS
OISE NOV 7 2001 PATENT & TRADEMARK OFFICE		5,665,857	09/09/97	SHI	528	373
		5,540,999	07/30/96	YAMAMOTO et al.	428	411.1
		5,821,002	10/13/98	OHNISHI et al.	428	690
		6,008,828	12/28/99	FURUKI et al.	347	139
		5,281,489	01/25/94	MORI et al.	428	690
		4,569,305	02/11/86	FERRI et al.		
		4,687,352	08/18/87	IGI et al.		
		4,792,817	12/20/88	BARNEY		
		5,534,716	07/09/96	TAKEMURA		
		5,645,901	07/08/97	FUKUCHI et al.		
		5,728,626	03/17/98	ALLMAN et al.		
		5,744,171	04/28/98	SCHNEIDER		
		5,757,453	05/26/98	SHIN et al.		
		5,759,268	06/02/98	BEGIN et al.		
		5,770,260	06/23/98	FUKUYAMA et al.		
		5,779,799	07/14/98	DAVIS		
		5,784,132	07/21/98	HASHIMOTO		
		5,989,945	11/23/99	YUDASAKA et al.	438	149
		5,656,826	08/12/97	MISAWA et al.	257	72
		5,274,481	12/28/93	KIM		
	5,399,390	03/21/95	AKINS			
	3,792,308	02/12/74	OTA			
	4,891,110	01/02/90	LIBMAN et al.			
	4,007,462	02/08/77	WETSEL, Jr.	427	157	
	6,180,294 B1	01/30/01	SHIBA et al.	349	106	
	09/901,095	07/10/01	KIMURA et al.			
	09/901,096	07/10/01	KIGUCHI et al.			
	09/901,126	07/10/01	YUDASAKA et al.			
EXAMINER						

EXAMINER

Examiner:

Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

11/17/2001

PTO-1449
(Rev. 8-83)US Dept. of Commerce
PATENT & TRADEMARK OFFICEATTY DOCKET NO.
101050.02APPLICATION NO.
09/901,097

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

APPLICANT(S): Satoru MIYASHITA et al.

FILING DATE: July 10, 2001

GROUP: 1773

FOREIGN PATENT DOCUMENTS




	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS
	JP-A-3-102324	04/26/91	Japan		
	JP-A-3-126921	05/30/91	Japan		
	JP-A-4-253033	09/08/92	Japan		
	JP-A-5-105486	04/27/93	Japan		
	JP-A-5-116941	05/14/93	Japan		
	JP-A-6-204168	07/22/94	Japan		
	JP-A-62-223727	10/01/87	Japan		
	JP-A-6-281958	10/07/94	Japan		
	JP-A-61-78165	04/21/86	Japan		
	JP-A-7-122475	05/12/95	Japan		
	JP-A-8-1065	01/09/96	Japan		
	JP-A-8-32085	02/02/96	Japan		
	JP-A-5-283166	10/29/93	Japan		
DLT	JP-A-6-308312 (w/English abstract)	11/04/94	Japan		
	JP-A-1-140188	06/01/89	Japan		
DLT	JP-A-3-192334 (w/English abstract)	08/22/91	Japan		
DLT	JP-A-6-281917 (w/English abstract)	10/07/94	Japan		
DLT	JP-A-7-134288 (w/English abstract)	05/23/95	Japan		
DLT	JP-A-3-33824 (w/English abstract)	02/14/91	Japan		
DLT	JP-A-10-12377 (w/English translation)	01/16/98	Japan		
DLT	0 431 249 A2	06/12/91	Europe		
DLT	EP 0 732 868 A1	09/18/96	Europe		
DLT	EP 0 717 439 A2	06/19/96	Europe		
DLT	EP 0 756 932 A2	02/05/97	Europe		
✓	DE 196 03 451 A1	08/01/96	Germany		
DLT	WO 90/13148	11/01/90	WIPO		
DLT	WO 95/01871	01/19/95	WIPO		
DLT	WO 98/32783	07/30/98	WIPO		

EXAMINER

DATE CONSIDERED 11/14/2001

Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



PTO-1449 (Rev. 8-83)	US Dept. of Commerce PATENT & TRADEMARK OFFICE	ATTY DOCKET NO. 101050.02	APPLICATION NO. 09/901,097
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		APPLICANT(S): Satoru MIYASHITA et al.	
		FILING DATE: July 10, 2001	GROUP: 1773
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)			
		UCHIDA, Masao et al., "Color-Variable Light-Emitting Diode Utilizing Conducting Polymer Containing Fluorescent Dye",	
		<i>Jpn. J. Appl. Phys.</i> , Part 2 (1993), 32 (7A), L921-L924 (Chemical Abstract, Vol. 119, No. 16).	
EXAMINER 		DATE CONSIDERED 	
Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			



NOV 13 2001